





	A	B	C	D
1				
2				
3				
4				

FIG. 3










FIG. 7
300 →



Equipment Broadcasters.






FIG. 8






FIG. 11

	A	B	C	D	E	F	G	H
1								
2	[0] →	[0] = Workbook name	[0] →	[0] = Worksheet1 name				
3		[1]		[1]				
4					[0] →	[0] = type[0]	[1] = type[1]
5					[1] →	[0] = description[0]	[1] = description[1]
6					[2] →	[0] = data[0]	[1] = data[1]
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								
51								
52								
53								
54								
55								
56								
57								
58								
59								
60								
61								
62								
63								
64								
65								
66								
67								
68								
69								
70								
71								
72								
73								
74								
75								
76								
77								
78								
79								
80								
81								
82								
83								
84								
85								
86								
87								
88								
89								
90								
91								
92								
93								
94								
95								
96								
97								
98								
99								
100								

FIG. 12

FIG. 13

901

Global Operation Functions

902

Application Tabs

Search database | Program Setup | Vinestone Home

VS-WorkWeb

Specifications

Check Lists

Yield Data

Project Set Up

Summary

Experiment

SPC

Electrical

Change Impeller H2SO4 pump to Teflon

Current Status:

Approved by Factory Executive Team

Pre-implementation

3 pending action items

2 unread emails (J.Hyde, b. Zook)

Originator:

Jack Hyde

Functional Group

Wet Chemistry

Origination Date:

05-JUNE-2000

Sponsors:

Add to List

View List

Coauthors:

Project Attributes:

Based on Project

WorkFlow Type

Impact Level

Sharing

Long Text Description:

Nylon Impeller has been observed to disintegrate in strong H2SO4 solution, shedding particles on wafers exposed to resist strip. The proposed change is intended to solve this problem.

Impacts all Type 6 wet clean stations in all factories running the S3003 process.

905

View Tree

Content Area

904

Communication Tools

903

[Meet/Online](#)
[Email](#)
[Forum](#)
[Whiteboard](#)
[Meeting Minutes](#)
[Schedule](#)
[Action Items](#)